

Product Name	Submersible Fountain Light IP68 RGB LED, 12V
Style	Underwater / Architectural
Power Supply	Low-voltage 12V



A ring-shaped underwater light in stainless steel and aluminium alloy behind tempered glass, with a hollow centre so a fountain jet passes straight through it and lights from inside the water column.

Four wattages from 6 W to 18 W, in white, warm white, or RGB colour-change.

Rated IP68 for permanent submersion, and built to resist pool chemicals as well as weather.



Specifications & Quality Documentation

Dimensions, materials, electrical detail and installation requirements for this fixture.

● Basic Product Information

Product Type	Underwater / fountain light
Power Supply	Low-voltage 12V
Mounting	Submerged – fits around a fountain jet
Illumination Area	Approximately 5–10 m ² (54–108 sq ft)
Colour Options	White · Warm White · RGB colour-change
Sold As	Single, or sets from 2 up to 10



● Materials & Construction

Face Panel	Stainless steel
Body	Aluminium alloy
Lens	Tempered glass
Ingress Protection	IP68 – rated for continuous submersion

● Wattages

Power	Supply	Typical use
6 W	DC12V / AC12V	Small feature, single jet
9 W	DC12V / AC12V	Garden fountain
12 W	DC12V / AC12V	Pool feature
18 W	DC12V / AC12V	Large fountain, commercial

White and warm white versions run on DC 12V; the RGB version runs on AC 12V. These are different transformers — confirm which you need before ordering. Exact ring diameter is not currently published; email hello@avendae.com if it has to fit an existing jet.



● Electrical & Light Source

Supply	Low-voltage 12V
Operating Voltage	DC 12V (white and warm white) or AC 12V (RGB) – they are not interchangeable
Transformer	Required – not supplied. Must match the version ordered (DC or AC) and be rated for the total load
Power	6 W / 9 W / 12 W / 18 W
Light Source	Integrated LED
Colour	White, warm white, or RGB colour-change
Ingress Protection	IP68 – continuous submersion

● Installation

Method	Submerged. The hollow centre fits around a fountain jet
Installer	The light itself runs at 12 V. In Australia, any mains connection or outdoor outlet feeding the transformer must be installed by a licensed electrician. Water and electricity together make this a job for a professional
Transformer Position	Keep the transformer dry and out of the water, in a rated enclosure
Position	Fountains, pools, ponds, water features
Suits	Courtyards, residential water features, villas, commercial plazas

● In the Box

Underwater light x 1 (or per set quantity) · Fixing screws and seals · Connecting lead · Instruction sheet. Transformer not supplied.

hello@avendae.com

www.avendae.com

Email support, 7 days a week

Document version 1.0 · Issued 23 September 2026 · Avendae, Australia. Specifications may change — confirm current detail at avendae.com