

Product Name Cuttable Outdoor LED Strip Light, IP65 Silicone

Style Architectural / Linear



Power Supply Low-voltage DC24V



A silicone-encapsulated LED strip with 2835 chips, cut to length at the marked lines – so a stair nosing, a handrail or a cornice gets exactly the run it needs.

Three profiles: flat, single-sided and three-sided, for a wash along a surface, a line down an edge, or a glow around a corner.

Runs on 24 V DC and is rated IP65, so it handles rain, dust and humidity without a housing.




Specifications & Quality Documentation

Dimensions, materials, electrical detail and installation requirements for this fixture.

● Basic Product Information

Product Type	Flexible LED strip light
Power Supply	Low-voltage DC24V
Mounting	Flush-mounted into a channel, nosing
Profiles	Flat · Single-sided · Three-sided
Cutting	At the marked lines only
Colour Options	Warm White 3000K · Neutral White 4000K · Cool White 6500K




● Materials & Construction

Encapsulation	Silicone – fully sealed
LED	2835 chip
Ingress Protection	IP65 – rain, dust and humidity
Use	Outdoor and indoor

● Profiles

Profile	Section (in)	Section (mm)
Flat	0.39 x 0.39	10 x 10
Three-sided	0.47 x 0.47	12 x 12
Single-sided	0.78 x 0.39	20 x 10

Cut only at the marked lines — cutting elsewhere breaks the circuit and voids the seal. Metric sections are converted from the manufacturer's inch measurements.



● Electrical & Light Source

Supply	Low-voltage DC24V
Operating Voltage	DC 24V (low voltage)
Transformer	Required – not supplied. A 24 V DC transformer rated for your total run length and an Australian outlet is needed
Power	3 W per metre
Light Source	Integrated LED, 2835 chip
Colour Temperature	3000K / 4000K / 6500K – selected at order
Control	Wall switch
Dimmable	Only with a compatible 24 V DC dimmer

● Installation

Method	Flush-mount into a channel, stair nosing, handrail or recess
Installer	The strip itself runs at 24 V and needs no electrician. A licensed electrician is required to install the outlet or connection the transformer plugs into, if one is not already there
Cutting	Measure the run first, then cut at the marked lines
Position	Suitable for exposed positions – IP65 rated
Suits	Courtyards, stairs, handrails, cornices, residential and villa exteriors

● In the Box

LED strip per length selected · End caps · Connecting leads · Mounting clips · Instruction sheet. Transformer not supplied.

hello@avendae.com

www.avendae.com

Email support, 7 days a week

Document version 1.0 · Issued 23 September 2026 · Avendae, Australia. Specifications may change — confirm current detail at avendae.com